



Hazel



Wooden Products



Foam Products



Best Friend Enterprise Co., Ltd.
百旭朋企業有限公司



No. 52, Ln. 245, Chenggong Rd., Taiping Dist.,
Taichung 41166, Taiwan
台灣臺中市41166太平區成功路245巷52號



Tel: +886-4-22732288
Fax: +886-4-22738877




sales@hazel-tw.com.tw
www.hazel-tw.com



生活 從現在開始。
Life begins from now on.

04



Wooden Trolley

06



Wooden Tables & Chairs

08



Wooden Rack, Bicycle & Giftbox

10



Wooden Wine Box

12




Wooden Wine Stand

14



Wooden Case

16



Wooden Case

18



Wooden Suitcase

20




EVA / PE Foam Tray for Tools

22



EXPE Foam Tray for Tools

24



PU/EVA Foam Lining

26



EVA / PE Foam Pad

28



EVA / PE Foam Foldable Pad

30



Yoga Mat & Roller

32




Slippers & Pad

34




Foldable Cushion & Clever Combinable Mat

36



3D Safe Combinable Wall-sticker

38



3D Safe Combinable Wall-sticker

40



Brief Instruction of Foaming and Process

42



Certificate

Wooden Trolley

Material : Ash (栓木)

Fine and concise via CNC method. FSC certificated eco-friendly to the environment.
細緻潔簡、歷久彌新、代代相傳，使用CNC工法，FSC認證友善大自然環境。





REAL-601

KG 20

ESLABONDEXX

KG 240 TPR 5"caster

L (mm)	300
W (mm)	300
H (mm)	325
N.W.(kgs)	10.0



REAL-602

KG 240 TPR 5"caster

L (mm)	445
W (mm)	300
H (mm)	475
N.W.(kgs)	11.0



REAL-302

KG 400 TPR 5"caster

ESLABONDEXX

L (mm)	560
W (mm)	350
H (mm)	1370
N.W.(kgs)	20.6



REAL-401

KG 240 TPR 5"caster

L (mm)	1000
W (mm)	440
H (mm)	100
N.W.(kgs)	8.6

Working System Configuration

REAL-203

KG 400 TPR 5"caster

L (mm)	W (mm)	H (mm)	N.W.(kgs)
910	530	1090	105



L568 x W410 x H75 mm
Load weight : 27 kgs

L568 x W410 x H220 mm
Load weight : 46 kgs

Total load weight : 400 kgs

Hazel



Wooden Tables & Chairs

Material : Ash (栓木)

Fine and concise via CNC method. FSC certificated eco-friendly to the environment.
細緻潔簡、歷久彌新、代代相傳，使用CNC工法，FSC認證友善大自然環境。



REAL-102

L (mm)	W (mm)	H (mm)	N.W.(kgs)
2300	810	1090	104



REAL-502

L (mm) : 475
W (mm) : 450
H (mm) : 1000
N.W.(kgs) : 13.6



X-Series REAL-901

L (mm)	W (mm)	H (mm)	N.W.(kgs)
1500	880	770	62.6
1500	390	450	24.6
500	390	450	11.1



8-Series REAL-902

L (mm)	W (mm)	H (mm)	N.W.(kgs)
1500	880	770	62.4
1500	400	460	25.0
500	400	460	13.3



A-Series REAL-903

L (mm)	W (mm)	H (mm)	N.W.(kgs)
1500	880	770	57.2
1500	390	450	23.4
500	390	450	12.5



L-Series REAL-904

L (mm)	W (mm)	H (mm)	N.W.(kgs)
1500	880	770	57.8
1500	400	460	25.2
500	400	460	13.3



Wooden Rack

Material : Ash (栓木)

Creative design for 3C products and home furnishings.
3C產品，居家擺放、創意設計。



REAL-708

L (mm)	W (mm)	H (mm)	N.W.(kgs)
540	240	18	1.90



Wooden Bicycle

Material : Ash (栓木)



REAL-0001 限量8台販售

L (mm)	W (mm)	H (mm)	N.W.(kgs)
1670	625	1060	20.50

- Seat's height: 150mm adjustable.
- Seat from the ground: 800-900mm.
- Tire ϕ 605mm.

Wooden Giftbox

Material : Ash (栓木)

Simple & Beautiful (商品收納、簡單美觀)



REAL-706

L (mm)	W (mm)	H (mm)	N.W.(kgs)
400	175	240	2.35

Embossment celadon cup with wooden case
青瓷浮雕杯 + 原木盒



REAL-821

L (mm) : 115
W (mm) : 115
H (mm) : 65
N.W.(kgs) : 0.50


Ice glaze cup with wooden case
冰裂釉杯 + 原木盒




REAL-822

L (mm) : 105
W (mm) : 85
H (mm) : 42
N.W.(kgs) : 0.25

3D Surface




001



007



009




016



020



021



023



027



Sakura



WINE-1011(B+EVA)

L (mm) : 350
W (mm) : 290
H (mm) : 60
N.W.(kgs) : 0.18



WINE-1012(VR+EVA)

L (mm) : 350
W (mm) : 290
H (mm) : 60
N.W.(kgs) : 0.18

Wooden Wine Box

Material : Ash (栓木)

Customizable box for storage or memorial collection with good brand image.
Practicality and taste are kept well.
客製木盒，收納定位，紀念收藏，品牌形象，實用與品味兼具。



WINE-1100

L (mm)	W (mm)	H (mm)	N.W.(kgs)
240	145	70	1.05



WINE-1101

L (mm)	W (mm)	H (mm)	N.W.(kgs)
375	200	90	2.07

Nice Gift & Collection



WINE-1009

L (mm) : 430
W (mm) : 190
H (mm) : 85
N.W.(kgs) : 1.70



WINE-1010

L (mm) : 430
W (mm) : 110
H (mm) : 85
N.W.(kgs) : 1.20



WINE-1007

L (mm) : 220
W (mm) : 110
H (mm) : 102
N.W.(kgs) : 0.66



WINE-1008

L (mm) : 230
W (mm) : 145
H (mm) : 140
N.W.(kgs) : 1.13

Wooden Wine Stand

Material : Ash (栓木)

Creative design for wine tasting culture
品酒文化、創意設計



WINE-1004

L (mm)	W (mm)	H (mm)	N.W.(kgs)
225	255	230	1.05



WINE-1002

L (mm)	W (mm)	H (mm)	N.W.(kgs)
505	320	530	8.06



WINE-1001

L (mm) : 410
W (mm) : 140
H (mm) : 357
N.W.(kgs) : 3.13



WINE-1003

L (mm) : 400
W (mm) : 270
H (mm) : 355
N.W.(kgs) : 4.36



WINE-1005

L (mm)	W (mm)	H (mm)	N.W.(kgs)
365	240	400	4.72

Mortise and Tenon Method

Wooden Case

Material : Ash (栓木)

Integral formed via CNC engineering. Beautiful appearance, sturdy and durable structure.
使用CNC工法，一體成型，外觀優美，結構堅固耐用。



Tool Storage Management



REAL-804

L (mm)	W (mm)	H (mm)	N.W.(kgs)
148	52	40	0.20



REAL-807

L (mm)	W (mm)	H (mm)	N.W.(kgs)
265	70	49	0.50



REAL-801

L (mm)	W (mm)	H (mm)	N.W.(kgs)
180	104.5	40	0.39



REAL-806

L (mm)	W (mm)	H (mm)	N.W.(kgs)
110	83	40	0.20



REAL-805

L (mm)	W (mm)	H (mm)	N.W.(kgs)
240	100	40	0.50



REAL-701(3pcs)

L (mm)	W (mm)	H (mm)	N.W.(kgs)
503	300	329	11.0



REAL-705

L (mm) : 297
W (mm) : 210
H (mm) : 95
N.W.(kgs) : 1.70



REAL-820

L (mm) : 235
W (mm) : 100
H (mm) : 42
N.W.(kgs) : 0.56



Wooden Case

Material : Ash (栓木)

Memorial collection, simple appearance, and FSC certificated eco-friendly to the environment. Integral formed and innovative manufacture.

紀念收藏，簡潔外型，使用FSC認證，友善大自然環境，一體成型工法，創新製造。



REAL-808

L (mm)	W (mm)	H (mm)	N.W.(kgs)
190	110	55	0.70
325	210	55	3.01
400	280	65	5.87
470	350	65	9.30



- 1/4" Bit
- 3 / 4 / 5 / 6
 - 3 / 4 / 5 / 6
 - 1 / 2 / 2 / 3
 - 1 / 2 / 2 / 3
 - 10 / 15 / 20 / 25 / 27 / 30 / 40
 - 10 / 15 / 20 / 25 / 27 / 30 / 40
- 1/4" Bit Adapter
1/4" Bit Holder
1/4" Mini Ratchet Handle



- 1/4" Bit
- 3 / 4 / 5 / 6 / 7 / 8
 - 4.5 / 6.5 / 8
 - 1 / 2 / 3
 - 10 / 15 / 20 / 25 / 27 / 30 / 40
- 1/4" Sockets 4 / 4.5 / 5 / 5.5 / 6 / 7 / 8 / 9 / 10 / 11 / 12 / 13 / 14
- 1/4" Bit Coupler
1/4" Universal Joint
1/4" Extension Bar 2" / 4" / 6"
1/4" Spinner Handle
1/4" Ratchet Handle
1/4" 3 Way Adapter



- 1/2" Sockets 8 / 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 / 18 / 19 / 21 / 22 / 24 / 27
- 1/2" Universal Joint
1/2" Extension Bar 5" / 10"
1/2" Spark Plug Socket 16 / 21
1/2" Ratchet Handle
1/2" 3 Way Adapter



- 1/4" Bit
- 3 / 4 / 5 / 6 / 7 / 8
 - 4.5 / 6.5 / 8
 - 1 / 2 / 3
 - 10 / 15 / 20 / 25 / 27 / 30 / 40
- 1/4" Sockets 5 / 5.5 / 6 / 7 / 8 / 9 / 10 / 11 / 12 / 13
- 1/4" Bit Coupler
1/4" Universal Joint
1/4" Extension Bar 3"
1/4" Sliding T-handle Bar 4"
1/4" Spinner Handle
1/4" Ratchet Handle
- 1/2" Sockets 8 / 9 / 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 / 18 / 19 / 21 / 22 / 24 / 27 / 30 / 32
- 1/2" Universal Joint
1/2" Extension Bar 5" / 10"
1/2" Sliding T-handle Bar 10"
1/2" Spark Plug Socket 16 / 21
1/2" Ratchet Handle

Integral Formed Wooden Case



REAL-809

L (mm)	W (mm)	H (mm)	N.W.(kgs)
247	160	58	2.05
327	213	64	4.75



- 1/4" Bit (x 2 pcs)
- 3 / 4 / 5 / 6
 - 5 / 6
 - 1 / 2 / 3
 - 1 / 2 / 3
 - 10 / 15 / 20 / 25
- 3/8" Sockets 8 / 9 / 10 / 11 / 12 / 13 / 14 / 17
- 3/8" Bit Coupler
3/8" Universal Joint
3/8" Extension Bar 6"
3/8" Quick Wrench (8~17mm)



- 3/8" Bit
- 6 / 8 / 10
 - 1 / 2 / 3
 - 20 / 25 / 30
- 3/8" Bit Adapter
1/2" Bit Coupler
1/2" Sockets 8 / 9 / 10 / 11 / 12 / 13 / 14 / 15 / 17 / 18 / 19 / 20 / 21 / 22 / 23 / 24 / 27
- 1/2" Extension Bar 5"
1/2" Spark Plug Socket 16 / 21
1/2" Quick Wrench (14~32mm)



REAL-803

L (mm)	W (mm)	H (mm)	N.W.(kgs)
162	122	50	0.70
343	250	65	3.00
445	273	65	4.40



Wooden Suitcase

Material : Ash (栓木)

Natural material with tenon & mortise craft. FSC certificated eco-friendly to the environment.
The most suitable for exhibits.
榫接工藝，大自然材料，友善環境，使用FSC認證，最適合放置產品展覽使用。



REAL-704

L (mm)	W (mm)	H (mm)	N.W.(kgs)
425	315	120	3.20
485	355	140	4.80
545	395	165	6.00



Leather & Wooden handle

Wooden handle design. Simple and natural. Tenon & mortise craft.
FSC certificated, the most suitable for exhibits.
原木手把設計，簡潔自然，榫接工藝，使用FSC認證，最適合收藏，展示使用。



REAL-707

L (mm)	W (mm)	H (mm)	N.W.(kgs)
362	210	80	1.53
415	270	90	2.11
475	330	105	3.45



EVA / PE Foam Tray for Tools

Ingredients : EVA, PE

EVA foam tray protects tools from collision. 碰撞防護，泡綿軟墊




35° EVA Foam
迷彩Camouflage

35° EVA Foam
白色White

25° PE Foam
紅1797C

C+EVA+PE

Camouflage pattern
迷彩紋 **Patented**



Camouflage pattern
迷彩紋



White printed word
白色印刷文字



Yellow printed word
黃色印刷文字



Multi-layer heating-pasted
多層熱溶貼合



Flexible, bending resistant
柔韌耐彎折

Positive or negative laser engraving. VR (淺灰、深灰) 浮字雕刻，文字、浮凸、3D立體化



VR+PE2
Embossment, dark gray
浮字雕刻深灰 **Patented**



VR+EVA1
Embossment, gray
浮字雕刻淺灰 **Patented**



VR+PE2
Intaglio, black 凹字雕刻黑
Patented



PE+PE5
Neutral materials for metal packing
金屬手工具專用中性包裝材料

Velvet surface adds great value to your product.
EVA刷毛，絨面質感，提高產品附加價值



B+EVA+EVA10
Velvet surface, gray
刷毛表面淺灰 **Patented**



B+EVA+EVA10
Velvet surface, dark gray
刷毛表面深灰 **Patented**



D+EVA+EVA3
Diamond grain 鑽石紋
Patented




D+EVA+PE4
Diamond grain 鑽石紋
Patented

3D Surface

EVA foam tray protects tools from collision. 碰撞防護，泡綿軟墊
Customizable EVA with 3D texture surface. 客製EVA表面3D紋路



002




016




020




025



013



009



001




023



027



021



026



007

EXPE Foam Tray for Tools

Ingredients : EXPE, PEV Film


EXPE foam tray protects tools from collision. 碰撞防護，泡綿軟墊



EVA Foam Characteristics

Ingredients : EVA

Various applications in wide areas. 產品應用範圍多樣化




Product Advantage

Packing Materials 包裝材料

35° EVA Foam

優點: 硬度達到 $35^{\circ} \pm 5^{\circ}$ Good hardness
用途: ☐ 上層使用 Upper layer
材料硬度: Hardness $35^{\circ} \pm 5^{\circ}$
(金屬產品要做好防鏽，防撞定位包裝材料)
(Few acid in EVA, metal tools need to be rustproofed well)

PANTONE 色號



40° PE Foam

優點: 表面平整，發泡孔細，密度高
Flat surface, fine foaming bubble, and high density.
用途: ☐ 上層使用 Upper layer
材料硬度: Hardness $40^{\circ} \pm 5^{\circ}$
(金屬產品專用，中性原料防撞定位包裝材料)
(Neutral materials for metal packing)


PANTONE 色號



50° VR Foam

優點: 耐彎曲/彈性柔軟皮
Well curved endurance / Soft elastic.
用途: ☐ 上層使用 Upper layer
材料硬度: Hardness $50^{\circ} \pm 5^{\circ}$
(金屬產品專用，中性原料防撞定位包裝材料)
(Neutral materials for metal packing)


PANTONE 色號



25° EVA Foam

優點: 多種顏色選擇 Various optional colors
用途: ☐ 下層使用 Bottom layer
材料硬度: Hardness $25^{\circ} \pm 5^{\circ}$
(金屬產品要做好防鏽，防撞定位包裝材料)
(Few acid in EVA, metal tools need to be rustproofed well)


PANTONE 色號



25° PE Foam

優點: 多種顏色選擇 Various optional colors
用途: ☐ 下層使用 Bottom layer
材料硬度: Hardness $25^{\circ} \pm 5^{\circ}$
(金屬產品專用，中性原料防撞定位包裝材料)
(Neutral materials for metal packing)

PANTONE 色號



PU / EVA Foam Lining

Ingredients : PU, EVA

PU / EVA Foam protects products well.

PU / EVA Foam 保護工具產品軟墊



PU 大波浪泡綿-保護軟墊
PU Foam (big wave)



PU 平面泡綿-保護軟墊
PU Foam (flat)



1.5~2.0mm EVA 印刷說明圖文
1.5~2.0mm EVA Foam printed pad



EVA 防滑墊
EVA Anti-slip Pad

1. 獨特結構與EVA材質一體成型設計。
2. 厚度10mm，硬度40°±5°。
3. 防滑效果絕佳。
4. 具吸震功能，保護物品不因震動而滑落或傾倒。
5. 以清水或中性洗劑清洗。
6. 符合SGS檢驗RoHS第一類之現值要求(意圖放入嘴內的材料或玩具會與皮膚有所接觸. 超過30秒)。
7. 符合SGS檢驗REACH 197項高關注物質篩檢，歐洲化學總署(ECHA)各項檢驗標準。



T 10mm



Non-slip pad for Worktop Protection




Foam Tray for Trolley



EVA-6001A(1)

L (mm) : 398
W (mm) : 188
H (mm) : 32
N.W.(kgs) : 0.04



EVA-6001B(2)

L (mm) : 398
W (mm) : 188
H (mm) : 32
N.W.(kgs) : 0.05




EVA-6001C(3)

L (mm) : 398
W (mm) : 188
H (mm) : 32
N.W.(kgs) : 0.06



EVA-6002A(3)

L (mm) : 398
W (mm) : 376
H (mm) : 32
N.W.(kgs) : 0.10



EVA-6002B(4)

L (mm) : 398
W (mm) : 376
H (mm) : 32
N.W.(kgs) : 0.10




EVA-6002C(6)

L (mm) : 398
W (mm) : 376
H (mm) : 32
N.W.(kgs) : 0.10



EVA-6003A(6)

L (mm) : 564
W (mm) : 398
H (mm) : 32
N.W.(kgs) : 0.12



EVA-6003B(7)

L (mm) : 564
W (mm) : 398
H (mm) : 32
N.W.(kgs) : 0.12



EVA-6003C(9)

L (mm) : 564
W (mm) : 398
H (mm) : 32
N.W.(kgs) : 0.12

EVA / PE Foam Pad

Ingredients : EVA, PE

EVA foam tray protects tools from collision. 碰撞防護，泡綿軟墊



Pad Products



EVA-2101A

L (mm) : 450
W (mm) : 190
H (mm) : 30
N.W.(kgs) : 0.13



EVA-2102A

L (mm) : 450
W (mm) : 230
H (mm) : 30
N.W.(kgs) : 0.15



EVA-2103A

L (mm) : 450
W (mm) : 290
H (mm) : 30
N.W.(kgs) : 0.21



EVA-2104A

L (mm) : 450
W (mm) : 390
H (mm) : 30
N.W.(kgs) : 0.25



Patented
EVA-2104B(COB-LED)

L (mm) : 450
W (mm) : 390
H (mm) : 30
N.W.(kgs) : 0.54



EVA-2107A

L (mm) : 510
W (mm) : 210
H (mm) : 30
N.W.(kgs) : 0.17



EVA-2108A

L (mm) : 390
W (mm) : 210
H (mm) : 30
N.W.(kgs) : 0.13



Patented
EVA-2104C(Bit)

L (mm) : 450
W (mm) : 390
H (mm) : 30
N.W.(kgs) : 0.63



EVA-2104D

L (mm) : 450
W (mm) : 390
H (mm) : 30
N.W.(kgs) : 0.24



EVA-2106A(Red)

L (mm) : 510
W (mm) : 230
H (mm) : 30
N.W.(kgs) : 0.18



EVA-2106A(Blue)

L (mm) : 510
W (mm) : 230
H (mm) : 30
N.W.(kgs) : 0.18



Patented
EVA-2106C(2 in 1)(Blue)

L (mm) : 510
W (mm) : 230
H (mm) : 30
N.W.(kgs) : 0.17

EVA / PE Foam Foldable Pad

Ingredients : EVA, PE

The patent of 3 in 1 with 6 or 8 folds.
EVA-30 series has 3 functions in 1 as lying, kneeling, and sitting.
3 in1 foldable pad can be changed the height or length for various works.
透氣 3合1 躺/跪/坐 收納折疊軟墊 (工作、休閒、居家)



Thin & Light

Patented EVA-3020 (PE1202)

L (mm)	W (mm)	H (mm)	N.W.(kgs)
1210	570	30	0.80

Variable operation ways
according to different
working requirements.



Lay down in a small working space



Adjustable height



Good for kneeling work



Good for sitting work




Good for sitting work



Patented EVA-3003 (PE1202) + COB-LED

Model No.	L (mm)	W (mm)	H (mm)	N.W.(kgs)
EVA-3003	1210	570	30	1.22
EVA-3003 (PE1202)	1210	570	30	1.50



Patented Product



Patented EVA-3000A

L (mm) : 1210
W (mm) : 420
H (mm) : 23
N.W.(kgs) : 0.77









Patented EVA-3002A

L (mm) : 1210
W (mm) : 455
H (mm) : 23
N.W.(kgs) : 0.84



Patented EVA-3001A

L (mm) : 1210
W (mm) : 455
H (mm) : 30
N.W.(kgs) : 0.86



Model No.	L (mm)	W (mm)	H (mm)	N.W.(kgs)
EVA-4001	1210	380	30	0.67
EVA-4001 (PE1202)	1210	380	30	0.87
EVA-4002	1210	455	30	0.80
EVA-4002 (PE1202)	1210	455	30	1.04
EVA-4003	1210	570	30	1.00
EVA-4003 (PE1202)	1210	570	30	1.30



Yoga Roller

Ingredients : Cover-EVA, PE / Tube-ABS

Lightweight design, Non-toxic. Deep grain surface enhances sport's feeling.
瑜珈筒：EVA外皮。原料由EVA乙烯、醋酸乙烯共聚物組成。
具有樹脂的特點，良好的柔軟性，橡膠般的彈性，化學穩定性良好，抗老化和耐臭氧強度好無毒性，輕量化設計管壁，深層次紋路讓運動更有感覺。
ABS空心管：原料由 A/acrylonitrile + B/butadiene + S/polystyrene組成。
Size & Weight tolerance $\pm 3\%$ (尺寸重量誤差 $\pm 3\%$)



Colour : Black /Dark blue /Light blue /Green /Red


YOGA-0001

L (mm)	W (mm)	H (mm)	N.W.(kgs)
130	130	330	0.59

Yoga Mat

Ingredients : TPE, NR

Special Formula, soft and comfortable. Nice tenacity & Wear resistance.
Good anti-slip function, recyclable material, easy to fold and carry.
瑜珈墊：專利特殊材質，柔軟舒適好收納。原料使用熱可塑彈性體(TPE)及天然橡膠(NR)複合而成。
優點：環保可回收/韌度強/耐磨性佳/柔軟度佳/止滑效果好/抓地力佳/折疊收納，攜帶更方便
Size & Weight tolerance $\pm 3\%$ (尺寸重量誤差 $\pm 3\%$)



Anti-slip wave grain
波浪止滑條紋



YOGA-0111

L (mm)	W (mm)	H (mm)	N.W.(kgs)
1800	600	6	1.01

Colour : Blue300u /Blue634u /Blue2665u /Pink1905u /Green326u



YOGA-0112

L (mm)	W (mm)	H (mm)	N.W.(kgs)
1800	600	6	0.92

Colour : Blue634u



Decompression Slippers

Ingredients : EVA, PE, TPE

Reduce fatigue, non-toxic, ultra-light, high-rebound, high-comfortable.
減壓拖鞋：抗疲勞、舒適、超輕、高回彈。(特殊配方彈性發泡，符合人體工學)



Colour : Black / Green / Red


FATIGUE-0111

Size : 5, 6, 7, 8, 9, 10 (US)
Lenght : 22, 23, 24, 25, 26, 27 (cm)

Safety Bumping Pad

Ingredients : EXPE-FOAM

Non-toxic, non-odor, one-piece Integrated, comfortable & durable, embossed surface, waterproof, anti-slip, suitable for kids playing.
安全防撞地墊：無毒無味，一體成型，舒適耐用，表面壓紋處理，防水、防滑，適合孩童遊戲使用。




Model No.	L (mm)	W (mm)	H (mm)	N.W.(kgs)
PE-7001A	2000	1300	15	1.25
PE-7001B(overedging)	2000	1300	15	1.50

Size & Weight tolerance $\pm 3\%$ (尺寸重量誤差 $\pm 3\%$)

Decompression Pad

Reduce fatigue, easy to clean, and easy to move.
減壓地墊：減輕疲勞、清潔方便、移動容易




Decompression Pad

Ingredients : EVA, PE, TPE

Model No.	L (mm)	W (mm)	H (mm)	N.W.(kgs)
FATIGUE-0001	750	450	16	1.05
FATIGUE-0002	900	600	16	1.55
FATIGUE-0003	1480	880	16	3.80


Colour : Brown / Gray / Black



FATIGUE-0011
Stitching wooden




FATIGUE-0012 Clouds



FATIGUE-0013 Wooden



FATIGUE-0014
Persian Fray



FATIGUE-0015 Brown



FATIGUE-0016 Black

Decompression Flexible Mat

Ingredients : EXPE-FOAM

L (mm)	W (mm)	H (mm)	N.W.(kgs)
900	600	20	0.40

Size & Weight tolerance $\pm 3\%$ (尺寸重量誤差 $\pm 3\%$)

6 Fold Cushion

Ingredients : Outside - polyester (聚酯纖維) : Inside - cross-linked polyethylene (交聯聚乙烯)



High rebound and easy to carry. Suitable for leisure activities. Cloth surface provides good comfortable touch feelings. (Special formula elastic foam. Ergonomic design)
6折布料軟墊：
攜帶方便、休閒運動、高回彈、布料表面接觸身體更為舒適 (特殊配方彈性發泡、人體工學)



FATIGUE-0221


Item	L (mm)	W (mm)	H (mm)	N.W.(kgs)
Unfolded	1420	590	10	0.50
Folded	480	300	75	0.50

Colour : Red / Blue

Foldable Camping Mat

Ingredients : LDPE


Non-toxic and non-odor, lightweight, easy to carry, comfortable and durable, surface with round particles, good ventilation, suitable for mountain climbing and camping.
摺疊式露營墊：
無毒無味，重量輕，攜帶方便，舒適耐用，圓形凹凸顆粒表面透氣，適合爬山露營。



Colour : Green

FATIGUE-0331

L (mm)	W (mm)	H (mm)	N.W.(kgs)
1800	600	10	0.30




Size & Weight tolerance ± 3% (尺寸重量誤差 ± 3%)

Clever Combinable Mat

Ingredients : PEV film+Printing layer+PEV film+LDPE Foam

Good softness, Rubber-like elasticity, Anti-slip with deep ripple, Beautiful appearance.
組合巧拼地墊：
產品材料通過2019歐盟RoHS和歐洲化學總署REACH合格認證
原料由LDPE-FOAM(低密度聚乙烯)組成，MIT環保無毒
具有良好的柔軟性，橡膠般的彈性，深層次紋路止滑效果好
外觀更漂亮



MAT-0001



L (mm)	W (mm)	H (mm)	N.W.(kgs)
320	320	20	0.05
625	625	20	0.30
920	920	20	0.65

Colour : Yellow / Pink / Green / Red / Blue / Black

MAT-0002

L (mm)	W (mm)	H (mm)	N.W.(kgs)
320	320	20	0.05
625	625	20	0.30
920	920	20	0.65

Colour : Two-color wood grain



MAT-0003

L (mm)	W (mm)	H (mm)	N.W.(kgs)
520	520	20	0.20

Colour : Pink / Light blue / Purple / Green / Red / Blue / Black


- 1. 表層PEV薄膜，防水，防發霉，清潔消毒殺菌效果佳。
- 2. 隔音效果佳。
- 3. 地墊厚度20mm，彈性好，防撞效果佳，安全防護。
- 4. 保溫，隔熱效果佳。
- 5. LDPE 純料製造，無塑膠刺鼻味。
- 6. 符合SGS檢驗RoHS第一類之現值要求 (意圖放入嘴內的材料或玩具會與皮膚有所接觸. 超過30秒)。
- 7. 符合SGS檢驗REACH 197項高關注物質篩檢，歐洲化學總署 (ECHA) 各項檢驗標準。

Size & Weight tolerance ± 3% (尺寸重量誤差 ± 3%) 33 34

3D Safe Combinable Wall-sticker

Ingredients : PEV film+Printing layer+PEV film+LDPE Foam

Safe, soundproof, crashproof, and good softness. Nice deep ripple effect.



WALL-0001-1 Black



WALL-0001-2 White

WALL-0001 Series

L (mm)	W (mm)	H (mm)	N.W.(kgs)
595	300	13	0.04



WALL-0002-1 Wood grain

L (mm)	W (mm)	H (mm)	N.W.(kgs)
600	312	13	0.04



WALL-0003-1 Black

L (mm)	W (mm)	H (mm)	N.W.(kgs)
600	312	13	0.04

Made in Taiwan

高仿真立體組合壁貼

產品原料由LDPE (低密度聚乙烯) 組成，通過2019歐盟RoHS和歐洲化學總署REACH合格認證MIT環保無毒泡綿壁貼，隔音防撞泡棉，DIY時尚新潮流，具有環保無毒特點，良好的柔軟性深層次紋路質感好，外觀更漂亮。



WALL-0004-1 Black



WALL-0004-2 White



WALL-0004-3 Travertine



WALL-0004-4
Black white stone pattern



WALL-0004-5 Clouds-Red Brown



WALL-0004-6 Wooden grain-brown

WALL-0004 Series

L (mm)	W (mm)	H (mm)	N.W.(kgs)
590	295	13	0.04



WALL-0004-7 Gray

WALL-0005 Wooden grain

L (mm)	W (mm)	H (mm)	N.W.(kgs)
600	312	13	0.04



Size & Weight tolerance $\pm 3\%$ (尺寸重量誤差 $\pm 3\%$)

3D Safe Combinable Wall-sticker

Made in Taiwan


Ingredients : PEV film+Printing layer+PEV film+LDPE Foam

Safe, soundproof, crashproof, and good softness. Nice deep ripple effect.



WALL-0006-1 White

L (mm)	W (mm)	H (mm)	N.W.(kgs)
700	600	15	0.20



WALL-0006-2 Gray Stone

L (mm)	W (mm)	H (mm)	N.W.(kgs)
680	640	15	0.20



WALL-0100-1 White



WALL-0100-2 Yellow



WALL-0100-3 Gray

WALL-0100 Series

L (mm) : 300
W (mm) : 300
H (mm) : 13
N.W.(kgs) : 0.02

Size & Weight tolerance $\pm 3\%$ (尺寸重量誤差 $\pm 3\%$)

高仿真立體組合壁貼

產品原料由LDPE (低密度聚乙烯) 組成，通過2019歐盟RoHS和歐洲化學總署REACH合格認證MIT環保無毒泡綿壁貼，隔音防撞泡棉，DIY時尚新潮流，具有環保無毒特點，良好的柔軟性深層次紋路質感好，外觀更漂亮。



安裝簡單(EASY TO INSTALL)
安全防撞(SEcurity)
清潔容易(EASY TO CLEAN)
高彈力(GOOD REBOUND)
防水功能(WATERPROOF)
隔音隔熱(SOUND & HEAT INSULATION)



1. DIY輕鬆黏貼雙面膠條或擦油性膠，簡易裁剪，施工快速。
2. 表面PEV薄膜，防水，防發霉，清潔消毒殺菌效果佳。
3. 隔音效果佳。
4. 壁貼厚度13mm以上，彈性好，防撞效果佳，安全防護。
5. 保溫、隔熱效果佳。
6. LDPE 純料製造，無塑膠刺鼻味。
7. 符合SGS檢驗RoHS第一類之現值要求(意圖放入嘴內的材料或玩具會與皮膚有所接觸，超過30秒)。
8. 符合SGS檢驗REACH 197項高關注物質篩檢，歐洲化學總署(ECHA)各項檢驗標準。




Illustration of Foaming Material, Process, Patent and Testing Standard:

● PE FOAM:

1. Ingredients:
Polyethylene and Foaming agents.
2. Characters:
 - (1) PE (Polyethylene) is a kind of neutral and eco-friendly packing material, especially for metal. It contains no acid or alkaline that might NOT get metal tools rusty. That is to say if the tools packaged in PE material are rusty, that is not caused by the PE FOAM.
 - (2) Pure PE is one kind of green neutral eco-friendly material. It is widely applied to packing electronic devices, precision instruments, and medical goods.
 - (3) PE FOAM is light and has excellent chemical resistance and solvent resistance, such as toluene, scouring oil, pine fragrance, leaning solvent, machine oil, WD40 etc.

● EVA FOAM:

1. Ingredients:
 - (1) Low Density Polyethylene.
 - (2) Polyethylene vinyl acetate tablets EVA (Ethylene-Vinyl Acetate Copolymer).
 - (3) Calcium carbonate CaCO_3 (talc).
 - (4) Bridging, Foaming agent DCP etc.
2. Characters:
 - (1) EVA raw material contains tiny acid that might cause metal rusty if there is no rustproof treatment on the surface of tools.
 - (2) EVA is inexpensive, easy to process, and light. It is applied to make commodity and industrial products.
 - (3) EVA has excellent chemical resistance and solvents resistance, such as toluene solvent, soiled oil, pine fragrance, washing solvent, machines oil, and WD40 etc.
 - (4) The bubble structure of EVA FOAM is independent and even. It is water non-absorbent, excellent recovery, lightweight, and impact-resistant absorbent.

● We strongly suggest to use anti-rust oil on the tools's surface before packing in EVA Foam, because:

- (1) EVA raw material contains tiny acidic that might cause metal tools rusting.
Please pay high attention to this and make sure all tools are conducted rustproof.
If tools packaged in our EVA FOAM are rusty, we are not responsible for it.
- (2) Our test shows that the metal tools coated with anti-rust oil can keep from rust well.

發泡材料、生產流程、專利、檢驗標準...等介紹

● PE發泡

1. 組成:
聚乙烯和發泡劑
2. 特點:
 - (1) PE (低密度聚乙烯) 是一種中性環保包裝材料，特別適用於金屬。它不含酸或鹼，不會使金屬工具生鏽。也就是說，如果包裝在PE材料中的工具是生鏽的，那不是由於PE FOAM包裝材料造成的。
 - (2) PE是一種綠色中性環保材料。廣泛適用於電子設備，精密儀器，醫療用品的包裝。
PE FOAM輕質，具有優良的耐化學性和耐溶劑性，如甲苯、去漬油、松香、清洗劑、機油、WD40等。

● EVA發泡

1. 組成:
 - (1) 低密度聚乙烯
 - (2) 聚乙烯醋酸乙烯酯
 - (3) 碳酸鈣 CaCO_3 (滑石)
 - (4) 架橋，發泡劑DCP等
2. 特點:
 - (1) EVA原料中含有微小的酸性物質，如果工具表面沒有防銹處理，可能會引起金屬生鏽。
 - (2) EVA便宜，易加工，輕便。廣泛用於製造商品和工業產品。
 - (3) EVA具有優良的耐化學性和耐溶劑性，如甲苯溶劑、污染油、松香、清洗溶劑、機械油、WD40等。
 - (4) EVA發泡體具有均一之獨立氣泡結構。不吸水，具有優越的復原性，輕量化，剛性耐衝擊吸收性。

● 在EVA發泡包裝之前，我們強烈建議在工具表面使用防鏽油，因為：

- (1) EVA原料中含有微小的酸性物質，可能會導致金屬工具生鏽。
請高度重視，確保所有工具有做好防鏽表面或其他處理。
如果使用我們EVA發泡的工具生鏽，我們不負責任。
- (2) 我們的測試表明，塗有防鏽油的金屬工具可以保持防鏽效果



Real Wooden: Ash, Beech (栓木, 山毛櫸)



檢驗合格
Inspection Pass



PE / EVA / PU Foam 材料符合歐美各項檢驗標準



● Compliance with the first category of RoHS.

符合 SGS 檢驗 RoHS 第1類之限值要求.

(Material or toys indented to be put in the mouth or contact skin longer than 30s.)

With reference to RoHS 2011/65/EU Annex II and its amending Directive (EU) 2015/863 of the European Parliament and of the Council to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP in our products.

(意圖放入嘴內的材料或玩具會與皮膚有所接觸, 超過30秒)

參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP.

● PAHs and other item testing comply with the first category requirement of AfPS.

符合德國產品安全委員會(AfPS) GS PAHs 第1類及其他測項限值要求.

(Material or toys indented to be put in the mouth or contact skin longer than 30s.)

The test results of PAHs (18 items) comply with the limits of PAHs requirement (Category 1) as set by German Committee on Product Safety (AfPS) GS PAHs.

(意圖放入嘴內的材料或玩具會與皮膚有所接觸, 超過30秒) .

18項多環芳香烴測試結果符合德國產品安全委員會(AfPS) GS PAHs 第1類之限值要求.

● Passed the inspection of REACH 201 Substances of Very High Concern (SVHC).

通過歐洲化學總署(ECHA)規定 REACH 201項高關注物質之檢驗.

According to the ruling of the Court of Justice of the European Union on the definition of an article under REACH, and the specified scope as well as analytical technique. Regulation (EC) No 1907/2006 announced on July 16, 2019, 201 Substances of Very High Concern (SVHC), the test results of the selected component article are $0.1 \leq (w/w)$ in the submitted sample(s).

根據歐洲法院對於REACH規範下成品定義的裁決以及指定範圍和分析技術, 2019年7月16日Regulation (EC) No 1907/2006公告之201 項高關注物質 (SVHC) 測試結果濃度均小於0.1% (w/w)